


**Screwdriver Accessories**  
**Accessoires de Vissage**  
**Zubehör für Drehschrauber**  
**Accesorios Atornilladores**  
**Accessori per Cacciaviti**

Insert bits & power bits 1/4" hex and 5/16" hex  
 Embouts et lames - Emmanchement hex. 1/4" et 5/16"  
 Klingen 1/4" und 5/16" Sechskant-Einsteckende  
 Puntas - Accionamiento 1/4" hex. y 5/16" hex.  
 Inserti e punte - Esagono 1/4" e 5/16"




**Phillips®**



Ref.	A (in)	No.	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
XPB070	1/4	0	25	5
XPB071	1/4	1	25	5
XPB072	1/4	2	25	5
XPB073	1/4	3	25	5
XPB074	1/4	4	32	5
XPB5072	5/16	2	32	5
XPB5073	5/16	3	32	5
XPB5074	5/16	3	32	5
<b>ACR ISO. TEMP</b>				
XPB072ACR	1/4	2	25	5
XPB073ACR	1/4	3	25	5


**Phillips®**

For limited clearance • Pour passage réduit •  
 Für beengte Platzverhältnisse • Para  
 espacios limitados • Per spazi ristretti




Ref.	A (in)	No.	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
LCXPB070	1/4	0	25	5
LCXPB071	1/4	1	25	5
LCXPB072	1/4	2	25	5
1LXPB072	1/4	2	38	5
2LXPB072	1/4	2	51	5
3LXPB072	1/4	2	63	5
<b>ACR ISO. TEMP</b>				
LCXPB072ACR	1/4	2	25	5

**Pozidriv®**




Ref.	A (in)	No.	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
XPZB071	1/4	1	25	5
XPZB072	1/4	2	25	5
XPZB073	1/4	3	25	5
LXPZB072	1/4	2	38	5
ELXPZB072	1/4	2	51	5
XPZB5071	5/16	1	32	3
XPZB5072	5/16	2	32	3
XPZB5073	5/16	3	32	3
XPZB5074	5/16	4	32	5

**Pozidriv®**




Ref.	No.	ØC (mm)	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
XPZ161	1	4.8	50	2
XPZ162	2	6.4	50	2
XPZ163	3	8.0	50	2
XPZ261	1	4.8	70	2
XPZ262	2	6.4	70	2
XPZ263	3	8.0	70	2
XPZ361	1	4.8	90	2
XPZ362	2	6.4	90	2
XPZ363	3	8.0	90	2
XPZ-661	1	4.8	152	2
XPZ-662	2	6.4	152	2
XPZ-663	3	8.0	152	2

**Phillips®**




Ref.	No.	ØC (mm)	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
XP-161	1	4.8	50	2
XP-162	2	6.4	50	2
XP-163	3	8.0	50	2
XP-221	1	4.8	70	2
XP-222	2	6.4	70	2
XP-223	3	8.0	70	2
XP-281	1	4.8	90	2
XP-282	2	6.4	90	2
XP-283	3	8.0	90	2
XP-481	1	4.8	150	2
XP-482	2	6.4	150	2
XP-483	3	8.0	150	2

**Torx®**



Ref.	No.	M	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
XIBT07	T-7	M2	25	5
XIBT08	T-8	M2.5	25	5
XIBT09	T-9	M3	25	5
XIBT10	T-10	M3	25	5
XIBT15	T-15	M4	25	5
XIBT20	T-20	M4	25	5
XIBT25	T-25	M4	25	5
XIBT27	T-27	M5	25	5
XIBT30	T-30	M6	25	5
XIBT40	T-40	M8	25	5


**Torx®**



Ref.	No.	M	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>				
XT07	T-7	M2	50	2
XT08	T-8	M2.5	50	2
XT09	T-9	M3	50	2
XT10	T-10	M3	50	2
XT15	T-15	M4	50	2
XT20	T-20	M4	50	2
XT25	T-25	M4	50	2
XT27	T-27	M5	50	2
XT30	T-30	M6	50	2
XT40	T-40	M8	50	2
XTB08	T-8	M2.5	90	5
XTB09	T-9	M3	90	5
XTB10	T-10	M3	90	5
XTB15	T-15	M4	90	5
XTB20	T-20	M4	90	5
XTB25	T-25	M4	90	5
XTB27	T-27	M5	90	5
XTB30	T-30	M6	90	5
XTB40	T-40	M8	90	5


**Torx®**

Torx tamper resistant • Empreinte Torx  
 inviolable • Torx kerngehärtet . Torx resistente  
 a la fractura • Torx antimanomissione




Ref.	No.	L (mm)	X
<b>Extra hard - Extra dur - Extra hart - Durezza extra</b>			
TTR-07	T-7	25	1
TTR-08	T-8	25	1
TTR-09	T-9	25	1
TTR-10	T-10	25	1
TTR-15	T-15	25	1
TTR-20	T-20	25	1
TTR-25	T-25	25	1
TTR-27	T-27	25	1
TTR-30	T-30	25	1
TTR-40	T-40	25	1

**Screwdriver Accessories**  
**Accessoires de Vissage**  
**Zubehör für Drehschrauber**  
**Accesorios Atornilladores**  
**Accessori per Cacciaviti**




**Allen**




Ref.	A	M	L (mm)	X
<b>METRIC - Extra hard-Extra dur-Extra hart...</b>				
HXB1-5	1.5 mm	-	25	5
HXB2	2 mm	-	25	5
HXB2.5	2.5 mm	M3	25	5
HXB3	3 mm	M4	25	5
HXB4	4 mm	M5	33	5
HXB5	5 mm	M6	33	5
HXB6	6 mm	M8	33	5
HXB8	8 mm	M10	33	5

Ref.	A	M	L (mm)	X
<b>SAE - Extra hard-Extra dur-Extra hart...</b>				
HXB0825	5/64"	#2-3	25	5
HXB083	3/32"	#4-5	25	5
HXB084	1/8"	#8	25	5
HXB0845	9/64"	#8	25	5
HXB105	5/32"	#10	33	5
HXB106	3/16"	1/4	33	5
HXB107	7/32"	-	33	5
HXB108	1/4"	5/16	33	5
HXB109	5/16"	3/8	32	5
HXB110	3/8"	7/16-1/2	32	5

**Tri-Wing®**




Ref.	Point No Screw 1	Point No Screw 2	L (mm)	X
<b>Extra hard-Extra dur-Extra hart-Durez(2)a extra</b>				
TWB-0	0-80	-	25	1
TWB-2	4-40	6-32	25	1
TWB-3	6-32	8-32	25	1
TWB-4	8-32	10-32	25	1
TWB-5	10-32	1/4-28	25	1




Ref.	Point No Screw 1	Point No Screw 2	L (mm)	X
<b>Extra hard-Extra dur-Extra hart-Durez(2)a extra</b>				
TW-0	0-80	-	32	1
TW-1	2-56	4-40	32	1
TW-2	4-40	6-32	32	1
TW-3	6-32	8-32	32	1
TW-4	8-32	10-32	32	1
TW-5	10-32	1/4-28	32	1
TW-6	1/4-28	5/16-24	32	1
TW-7	5/16-24	3/8-24	32	1
TW-8	1/4-24	7/16-20	32	1

**Slotted**



Ref.	B (mm)	C (mm)	Screw	L (mm)	X
<b>Extra hard-Extra dur-Extra hart-Durez(2)a extra</b>					
XFIB0	3.9	0.8	3F-4R	25	5
XFIB20	5.5	0.9	5F-6R	25	5
XFIB1	4.8	0.9	4F-5R	25	5
XFIB2	5.6	1.0	6F-8R	25	5
XFIB3	6.4	1.1	8F-10R	25	5
XFIB4	7.2	1.2	10F-12R	25	5
XFIB15	6.3	0.9	4F-5R	38	5
XFIB152	7.0	1.0	6F-8R	38	5
XFIB153	7.0	1.1	8F-10R	38	5
LXFIB154	7.2	1.2	10F-12R	38	5
LXFIB5	7.2	1.3	12F-14R	38	5
LXFIB6	9.5	1.4	14F-16R	38	5


**Allen**



Ref.	A	M	L (mm)	X
<b>METRIC / Extra hard-Extra dur-Extra hart...</b>				
HXM2.5	2.5 mm	M3	50	2
HXM3	3 mm	M4	50	2
HXM4	4 mm	M5	50	2
HXM5	5 mm	M6	50	2
HXM6	6 mm	M8	50	2


Ref.	A (in)	M	L (mm)	X
<b>SAE / Extra hard-Extra dur-Extra hart...</b>				
HX132	1/16"	-	50	2
HX1325	5/64"	#2-3	50	2
HX133	3/32"	#4-5	50	2
HX134	1/8"	#8	50	2
HX1345	9/64"	#8	50	2
HXM135	5/32"	#10	50	2
HXM136	3/16"	1/4	50	2
HXM137	7/32"	-	50	2
HXM138	1/4"	5/16	50	2

Bit holders  
 Porte-embouts  
 Klingenhalter  
 Portapuntas  
 Portapunta




Ref.	A (in)	B (in)	L (mm)	X
<b>STANDARD</b>				
631	1/4	1/4	54	2
631-4	1/4	1/4	102	2
631-6	1/4	1/4	152	2
<b>MAGNETIC - MAGNETISCH - MAGN.</b>				
M-630	1/4	1/4	54	2
M631-4	1/4	1/4	102	2
M631-6	1/4	1/4	152	2

**Slotted**



Ref.	B (mm)	C (mm)	Screw	L (mm)	X
<b>Extra hard-Extra dur-Extra hart-Durez(2)a extra</b>					
XF164	3.1	0.7	1F-2R	50	2
XF1645	3.4	0.7	2F-3R	50	2
XF165	3.9	0.8	3F-4R	50	2
XF166	4.7	0.9	4F-5R	50	2
XF167	5.5	0.9	5F-6R	50	2
XF168	6.4	1.0	6F-7R	50	2
XF169	7.0	1.1	8F-10R	50	2
XF1610	7.9	1.2	10F-12R	50	2
XF1612	9.1	1.3	12F-14R	50	2
XF2445	3.4	0.7	2F-3R	75	2
XF245	3.9	0.8	3F-4R	75	2
XF246	4.7	0.9	4F-5R	75	2
XF247	5.5	0.9	5F-6R	75	2
XF248	6.4	1.0	6F-7R	75	2
XF249	7.0	1.1	8F-10R	75	2
XF250	7.9	1.2	10F-12R	75	2
XF2512	9.1	1.3	12F-14R	75	2
XF324	3.1	0.7	1F-2R	90	2
XF3445	3.4	0.7	2F-3R	90	2
XF345	3.9	0.8	3F-4R	90	2
XF346	4.7	0.9	4F-5R	90	2
XF347	5.5	0.9	5F-6R	90	2
XF348	6.4	1.0	6F-7R	90	2
XF350	7.0	1.1	8F-10R	90	2
XF351	7.9	1.2	10F-12R	90	2
XF352	9.1	1.3	12F-14R	90	2


**Torq-Set®**




Ref.	Point no.	L (mm)	X
<b>Extra hard-Extra dur-Extra hart-Durez(2)a extra</b>			
TSO-0	0	25	1
TSO-1	1	25	1
TSO-2	2	25	1
TSO-3	3	25	1
TSO-4	4	25	1
TSO-5	5	25	1
TSO-6	6	25	1
TSO-8	8	25	1
TSO-10	10	25	1

Bit Guides

Coiffes guide-lame  
 Klingen-Führungshülsen  
 Guías de punta  
 Guida punta




Ref.	Point no.	L (mm)	X
5RA-P730-1	1	50	1
5RA-P730-2	2	50	1
5RA-P730-3	3	50	1
102A60-P730-1	1	90	1
102A60-P730-2	2	90	1
102A60-P730-3	3	90	1




**Screwdriver Accessories (continued) – Riveter accessories**  
**Accessoires de Vissage (suite) – Accessoires pour riveurs**  
**Zubehör für Drehschrauber (Fortsetzung) – Zubehör für Niethämmer**  
**Accesorios para Atornilladores (continuación) – Accesorios para remachadores**  
**Accessori per Cacciaviti (seguito) – Accessori per disincrostatore**




Nutsetters for hex head screws  
 Douilles entraîneur hexagonal 1/4"  
 Steckschlüssel mit 1/4" Skt.  
 Adaptador tornillos cabeza ex.  
 Bussole per viti testa esagonale



Ref.	A (in)	B	C (mm)	L (mm)	X 
<b>METRIC / MAGNETIC – MAGNETISCH – MAGNETICO</b>					
NSM5.5M	1/4	5.5 mm	11.0	41.5	2
NSM6M	1/4	6 mm	11.0	41.5	2
NSM8M	1/4	8 mm	13.0	41.5	2
NSM10M	1/4	10 mm	14.0	41.5	2
<b>SAE / MAGNETIC – MAGNETISCH – MAGNETICO</b>					
NSM14	1/4	1/4"	11.1	41.5	2
NSM516	1/4	5/16"	12.7	41.5	2
NSM38	1/4	3/8"	14.3	41.5	2
NSML14	1/4	1/4"	11.1	65.0	2
NSML516	1/4	5/16"	12.7	65.0	5
NSML38	1/4	3/8"	14.3	65.0	2

Nutsetters for hex head screws  
 Douilles entraîneur hexagonal 1/4"  
 Steckschlüssel mit 1/4" Sechskant  
 Adaptador tornillos cabeza ex.  
 Bussole per viti testa esagonale



Ref.	A (in)	B	C (mm)	L (mm)	X 
<b>METRIC / NON MAGNETIC – NICHT MAGNETISCH – NO MAGN.</b>					
OX1304	1/4	4 mm	9	80.0	1
OX1305	1/4	5 mm	10	80.0	1
OX1315	1/4	5.5 mm	11	80.0	1
OX1306	1/4	6 mm	11	80.0	1
OX1307	1/4	7 mm	13	80.0	1
OX1308	1/4	8 mm	14	80.0	1
OX1309	1/4	9 mm	15	80.0	1
OX1310	1/4	10 mm	16	80.0	1
OX1311	1/4	11 mm	18	80.0	1
OX1312	1/4	12 mm	19	80.0	1
OX1313	1/4	13 mm	19	95.0	1
OX1314	1/4	14 mm	21	95.0	1
<b>SAE / NON MAGNETIC – NICHT MAGNETISCH – NO MAGNETICO</b>					
29090	1/4	1/4"	11.1	41.0	1
29091	1/4	5/16"	12.7	41.0	1